


GPX BALLISTIC SERIES

45 MINUTE FIRE PROTECTIVE BALLISTIC OPENINGS

GPX BALLISTIC SERIES FIRE PROTECTIVE OPENING WITH SUPERCLEAR 45-HS-LI



GLASS TYPE

- (A) SUPERCLEAR 45-HS-LI WITH LEVEL 1-3 BALLISTIC GLASS
- (B) SUPERCLEAR 45-HS-LI WITH LEVEL 4/6 BALLISTIC GLASS
- (C) SUPERCLEAR 45-HS-LI WITH LEVEL 5 BALLISTIC GLASS
- (D) SUPERCLEAR 45-HS-LI WITH LEVEL 7 BALLISTIC GLASS
- (E) SUPERCLEAR 45-HS-LI WITH LEVEL 8 BALLISTIC GLASS


MAX. CV AREA PER INDIVIDUAL LITE: **3,880 SQ. IN.**

MAX. CV HEIGHT OR WIDTH PER INDIVIDUAL LITE: **96 IN.**

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES *FIRE PROTECTIVE* SINGLE DOOR




MAX. DOOR OPENING SIZE FOR
SINGLE DOOR: 54 IN. X 120 IN.

(F) STANDARD PROFILE
(G) NARROW PROFILE

SHOWN WITH SUPERLITE I-20
WITH LEVEL 1-3 BALLISTIC GLASS
(DOOR) AND SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS
(SIDELITE/ TRANSOM).
OTHER APPROVED GLAZING
AVAILABLE BY CALLING SAFTIFIRST.

GPX BALLISTIC SERIES *FIRE PROTECTIVE* PAIR DOOR



MAX. DOOR OPENING SIZE FOR
PAIR DOOR: 96 IN. X 120 IN.


(F) STANDARD PROFILE
(G) NARROW PROFILE

SHOWN WITH SUPERLITE I-20
WITH LEVEL 1-3 BALLISTIC GLASS
(DOOR) AND SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS
(SIDELITE/ TRANSOM).
OTHER APPROVED GLAZING
AVAILABLE BY CALLING SAFTIFIRST.

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES *FIRE PROTECTIVE* SINGLE DOOR




MAX. DOOR OPENING SIZE FOR
SINGLE DOOR: 54 IN. X 120 IN.

(F) STANDARD PROFILE
(G) NARROW PROFILE

SHOWN WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS
OTHER APPROVED GLAZING
AVAILABLE BY CALLING SAFTIFIRST.

GPX BALLISTIC SERIES *FIRE PROTECTIVE* PAIR DOOR




MAX. DOOR OPENING SIZE FOR
PAIR DOOR: 96 IN. X 120 IN.

(F) STANDARD PROFILE
(G) NARROW PROFILE


SHOWN WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS
OTHER APPROVED GLAZING
AVAILABLE BY CALLING SAFTIFIRST.

GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



A
4 HEAD DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 1-3 BALLISTIC GLASS**




B
4 HEAD DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 4/6 BALLISTIC GLASS**




C
4 HEAD DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 5 BALLISTIC GLASS**

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING




D
5 HEAD DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 7 BALLISTIC GLASS**




E
5 HEAD DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 8 BALLISTIC GLASS**

GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



A
6 SILL DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS





B
6 SILL DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 4/6 BALLISTIC GLASS



C
6 SILL DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 5 BALLISTIC GLASS


GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING




GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



A
8 HORIZONTAL MULLION DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS




B
8 HORIZONTAL MULLION DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 4/6 BALLISTIC GLASS




C
8 HORIZONTAL MULLION DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 5 BALLISTIC GLASS

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING




D
9 HORIZONTAL MULLION DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 7 BALLISTIC GLASS**




E
9 HORIZONTAL MULLION DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 8 BALLISTIC GLASS**

GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



A
10 JAMB DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS




B
10 JAMB DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 4/6 BALLISTIC GLASS




C
10 JAMB DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 5 BALLISTIC GLASS

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING




D
11 JAMB DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 7 BALLISTIC GLASS




E
11 JAMB DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 8 BALLISTIC GLASS

GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



A
12 VERTICAL MULLION DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 1-3 BALLISTIC GLASS**




B
12 VERTICAL MULLION DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 4/6 BALLISTIC GLASS**




C
12 VERTICAL MULLION DETAIL
WITH **SUPERCLEAR 45-HS-LI**
WITH **LEVEL 5 BALLISTIC GLASS**

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC OPENING



D
13 VERTICAL MULLION DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 7 BALLISTIC GLASS




E
13 VERTICAL MULLION DETAIL
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 8 BALLISTIC GLASS

GPX BALLISTIC SERIES


45 MINUTE FIRE PROTECTIVE BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES FIRE PROTECTIVE DOORS

GPX BALLISTIC SERIES DOOR STANDARD

GPX BALLISTIC SERIES DOOR NARROW STYLE



F
14 DOOR TOP RAIL - STANDARD
WITH SUPERLITE I-20 & SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS





G
14 DOOR TOP RAIL - NARROW STYLE
WITH SUPERLITE I-20 & SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES

45 MINUTE FIRE PROTECTIVE BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES FIRE PROTECTIVE DOORS

GPX BALLISTIC SERIES DOOR STANDARD WITH & WITHOUT DOOR BOTTOM


GPX BALLISTIC SERIES DOOR NARROW STYLE WITH & WITHOUT DOOR BOTTOM



GPX BALLISTIC SERIES


45 MINUTE FIRE PROTECTIVE BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES FIRE PROTECTIVE DOORS

GPX BALLISTIC SERIES DOOR STANDARD



F
16 DOOR JAMB AT LOCK - STANDARD
WITH SUPERLITE I-20 & SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES DOOR NARROW STYLE




G
16 DOOR JAMB AT LOCK - NARROW STYLE
WITH SUPERLITE I-20 & SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS


GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES DOOR STANDARD




GPX BALLISTIC SERIES DOOR NARROW STYLE



GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 20 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES DOOR STANDARD



F
18 MEETING STILES - STANDARD
WITH SUPERLITE I-20
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES DOOR NARROW STYLE




G
18 MEETING STILES - NARROW STYLE
WITH SUPERLITE I-20
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES


45 MINUTE FIRE PROTECTIVE BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES FIRE PROTECTIVE DOORS

GPX BALLISTIC SERIES DOOR STANDARD

GPX BALLISTIC SERIES DOOR NARROW STYLE



F
19 DOOR TOP RAIL - STANDARD
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS





G
19 DOOR TOP RAIL - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES DOOR STANDARD WITH & WITHOUT DOOR BOTTOM


GPX BALLISTIC SERIES DOOR NARROW STYLE WITH & WITHOUT DOOR BOTTOM



GPX BALLISTIC SERIES


45 MINUTE FIRE PROTECTIVE BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES FIRE PROTECTIVE DOORS

GPX BALLISTIC SERIES DOOR STANDARD



F
21 DOOR JAMB AT LOCK - STANDARD
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES DOOR NARROW STYLE




G
21 DOOR JAMB AT LOCK - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS


GPX BALLISTIC SERIES

45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES DOOR STANDARD




GPX BALLISTIC SERIES DOOR NARROW STYLE



GPX BALLISTIC SERIES


45 MINUTE *FIRE PROTECTIVE* BALLISTIC SIDELITES/TRANSOMS WITH 45 MINUTE GPX BALLISTIC SERIES *FIRE PROTECTIVE* DOORS

GPX BALLISTIC SERIES DOOR STANDARD



F
23
MEETING STILES - STANDARD
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS

GPX BALLISTIC SERIES DOOR NARROW STYLE



G
23
MEETING STILES - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI
WITH LEVEL 1-3 BALLISTIC GLASS