

## GPX® BUILDERS SERIES DOORS STANDARD HARDWARE PACKAGES

Below is a list of our standard hardware options. We can also accommodate most specialty hardware options. Give us a call at [888.653.3333](tel:888.653.3333) or send us an email at [info@safti.com](mailto:info@safti.com) to discuss your project.

| LOCKSET                                 |                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PACKAGE                                 | DESCRIPTION                                                                                                                                                                                                                                                                                                                                     |
| Hardware BS Active & Inactive Door Pair | Active & Inactive Door Pair<br>PBB 4B81 5"x 5" (US26D) Hinge<br>Schlage L9070J 06A 626 Lockset<br>Schlage L0170 06A 626 Dummy Trim<br>30-137x23-030 Cylinder/IC Core/key<br>Ives Cor52 w/FL20 Coordinator<br>Ives FB31P Auto Flush Bolt 630<br>LCN 4040XP-REG AL Surface Closer<br>320N NGP Door Bottom<br>5040B NGP Seal<br>170NA NGP Astragal |
| Hardware BS Lockset                     | Hardware Lockset<br>PBB 4B81 5"x 5" (US26D) Hinge<br>Schlage L9070J 06A 626 Lockset<br>SC23-030-C-626 IC Core<br>SC35-056-C Control Key<br>LCN 4040XP-REG AL Surface Closer<br>320N NGP Door Bottom<br>5040B NGP Seal                                                                                                                           |
| Hardware BS Narrow Stile Lockset        | Hardware Narrow Stile Lockset<br>PBB 4B81 5"x 5" (US26D) Hinge<br>Accurate 9159 (lockbody only) Lockset<br>Schlage SCL0172-06A 626 Lever set<br>30-137x23-030 Cylinder/IC Core/key<br>SC35-056-C Control Key<br>LCN 4040XP-REG AL Surface Closer<br>320N NGP Door Bottom<br>5040B NGP Seal                                                      |

**MORE PACKAGES ON THE NEXT PAGE →**

1 of 7

## RIM PANIC

| PACKAGE                            | DESCRIPTION                                                                                                                                                                                                                                             |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hardware BS Dorma                  | Hardware Dorma<br>PBB 4B81 5"x 5" (US26D) Hinge<br>Dorma F9800BB-ZR08-626 Exit Device<br>LCN 4040XP-REG AL Closer<br>320N NGP Door Bottom<br>5040B NGP Seal                                                                                             |
| Hardware BS Narrow Stile Rim Panic | Hardware Narrow Stile Rim Panic<br>PBB 4B81 5"x 5" (US26D) Hinge<br>PDQ 6400R-F-626 6W08-PHL<br>SC26-094-626 Cylinder<br>SC23-030-C-626 Core<br>SC35-056-C Control Key<br>LCN 4040XP-REG/PA-AL Surface Closer<br>320N NGP Door Bottom<br>5040B NGP Seal |
| Hardware BS Rim Panic              | Hardware Rim Panic<br>PBB 4B81 5"x 5" (US26D) Hinge<br>PDQ 6300R-F-626 6W08-PHL Rim Exit Device/Trim<br>LCN 4040XP-REG AL Surface Closer<br>SC26-094-626 x 23-030 Mortise Cyl./core/key<br>320N NGP Door Bottom<br>5040B NGP Seal                       |

**MORE PACKAGES ON THE NEXT PAGE →**

2 of 7

## SURFACE MOUNTED VERTICAL RODS

| PACKAGE                      | DESCRIPTION                                                                                                                                                                                                                                                                                                             |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hardware BS VD SVR           | <p>Hardware Von Duprin SVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>LCN 4040XP-REG AL Closer</p> <p>420apkl Pemko Door Bottom</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p> <p>Von Duprin 98/9927 (SVR) Exit Device</p> <p>Von Duprin 996L US26D Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> |
| Hardware BS                  | <p>Standard Hardware Package</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6300V-F-626 6W08-PHL Surface Vertical Rod Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>LCN 4040XP-REG/PA-AL Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                     |
| Hardware BS Narrow Stile SVR | <p>Hardware Narrow Stile SVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6400V-F-626 6W08-PHL</p> <p>SC20-079-626 Mortise cyl.</p> <p>SC23-030-C-626 Core</p> <p>SC35-056-C Control Key</p> <p>LCN 4040XP-REG AL Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                       |

**MORE PACKAGES ON THE NEXT PAGE →**

3 of 7

## CONCEALED VERTICAL RODS

| PACKAGE                      | DESCRIPTION                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hardware BS VD CVR           | <p>Hardware Von Duprin CVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>LCN 4040XP-REG AL Closer</p> <p>420apkl Pemko Door Bottom</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p> <p>Von Duprin 9847-F (CVR) Exit Device</p> <p>Von Duprin 996L US26D Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p>                                    |
| Hardware BS CVR              | <p>Hardware CVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6300C-F-626 6W08-PHL Concealed Vertical Rod Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>LCN 4040XP-REG/PA-AL Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                                                                  |
| Hardware BS Narrow Stile CVR | <p>Hardware Narrow Stile CVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6400C-F-626 6W08-PHL</p> <p>SC26-094-626 Rim cyl.</p> <p>SC23-030-C-626 Core</p> <p>SC35-056-C Control Key</p> <p>LCN 4040XP-REG/PA-AL Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                                                          |
| Hardware BS VD 55 CVR        | <p>Hardware Von Duprin 55 Series CVR</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>Von Duprin 5547-F US26D Exit Device</p> <p>Von Duprin 371L US26D Trim</p> <p>SC26-094-626 Cylinder</p> <p>SC23-030-C-626 Core</p> <p>SC35-056-C Control Key</p> <p>LCN 4040XP-REG/PA-AL Surface Closer</p> <p>420APKL @ 37" Pemko Door Bottom</p> <p>S44D Pemko Seal</p> |

**MORE PACKAGES ON THE NEXT PAGE →**

4 of 7

| SPECIALTY                                     |                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PACKAGE                                       | DESCRIPTION                                                                                                                                                                                                                                                                          |
| Hardware BS Electrified Multi-Point Lock Pair | PBB 4B81 5"x 5" (US26D) Hinge<br>LCN 4040XP Pull Side Surface Mounted Closer<br>SEC EL-CEPT-10 Power Transfer<br>Sargent 12-55-ELR-701515-ETMD-26D Electrified Multi-Point Lock<br>Sargent 3540 Power Supply<br>NGP 320N Bottom<br>NGP 5040B Smoke Seal                              |
| Hardware BS Ballistic                         | Standard Ballistic Door Hardware Package<br>Markar FM3500 Continuous Hinge<br>Von Duprin 98/9927F-EO (SVR) Exit Device<br>Von Duprin 996L US26D Trim<br>SC26-094-626 x 23-030 Mortise cyl./core/key<br>LCN 4040XP-Reg/PA-AL Surface Closer<br>NGP 320N Door Bottom<br>NGP 5040B Seal |
| Hardware BS Electrified Lockset               | Hardware Electrified Lockset<br>PBB 4B81 5"x 5" (US26D) Hinge<br>PBB 4B81 4.5"x 4.5" (EH-4EL) Hinge<br>Schlage L9092 Electrified Lockset<br>LCN 4040XP-REG/PA-AL Closer<br>Von Duprin PS914x2RS Power Supply<br>NGP 320N Door Bottom<br>NGP 5040B Seal                               |
| Hardware BS Electrified Multi-Point Lock      | PBB 4B81 5"x 5" (US26D) Hinge<br>LCN 4040XP Pull Side Surface Mounted Closer<br>SEC EL-CEPT-10 Power Transfer<br>Sargent 12-55-ELR-701515-ETMD-26D Electrified Multi-Point Lock<br>Sargent 3520 Power Supply<br>NGP 320N Bottom<br>NGP 5040B Smoke Seal                              |

**MORE PACKAGES ON THE NEXT PAGE →**

5 of 7

| SPECIALTY                          |                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PACKAGE                            | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Hardware BS Electrified Panic      | <p>Hardware Electrified Panic</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PBB 4B81 5"x 5" (EH-4EL) Hinge</p> <p>PDQ 6300R-F-MLR-626 6W08-PHL Rim Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>LCN 4040XP Surface Closer</p> <p>Von Duprin PS914x2RS Power Supply</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                                                           |
| Hardware BS Electrified Panic Pair | <p>Hardware Electrified Panic Pair</p> <p>PBB 4B81 4.5"x 4.5" (US26D) Hinge</p> <p>PBB 4B81 4.5"x 4.5" (EH-4EL) Hinge</p> <p>PDQ 6300V-F-MLR-626 6W08-PHL Surface Vertical Rod Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>LCN 4040XP-REG/PA-AL Closer</p> <p>Von Duprin PS914x2RS Power Supply</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p> <p>170NA NGP Astragal</p>                 |
| Hardware BS Electric Strike        | <p>Hardware Electric Strike</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6300R-F-626 6W08-PHL Rim Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>Von Duprin 6111-24vdc-32d EL Strike</p> <p>LCN4040XP-RW/PA AL Surface Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p> <p><i>Note: Card Reader, Mag Lock &amp; Power Supply are excluded and are to be provided by others.</i></p> |
| Hardware BS Magnetic Hold Open     | <p>Hardware Magnetic Hold Open</p> <p>PBB 4B81 5"x 5" (US26D) Hinge</p> <p>PDQ 6300R-F-626 6W08-PHL Rim Exit Device/Trim</p> <p>SC26-094-626 x 23-030 Mortise cyl./core/key</p> <p>Rixson FM998 Magnetic Hold Open</p> <p>LCN 4040XP RW/PA-AL Surface Closer</p> <p>320N NGP Door Bottom</p> <p>5040B NGP Seal</p>                                                                                                             |

**MORE PACKAGES ON THE NEXT PAGE →**

6 of 7

| SPECIALTY                     |                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PACKAGE                       | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                |
| Hardware BS Multi-Point Lock  | PBB 4B81 5"x 5" (US26D) Hinge<br>LCN 4040XP Pull Side Surface Mounted Closer<br>Sargent 12-701515-ETMD-26D Multi-Point Lock<br>NGP 320N Bottom<br>NGP 5040B Smoke Seal                                                                                                                                                                                                                                                     |
| Hardware BS Removable Mullion | Hardware Removable Mullion<br>PBB 4B81 5"x 5" (US26D) Hinge<br>VD99EO-F-26D Exit Device<br>Von Duprin 996L-R&V-06-26D Trim<br>VD 9954-SP28 Mullion<br>VDKR54F-KIT-SP28 Removable Kit<br>IV8400 10"x 1" LDW Kickplate<br>SC26-094-626 Mortise Cyl. (for mullion)<br>SC20-079-626 Cylinder<br>SC23-030-C-626 Core<br>SC35-056-C Control Key<br>LCN 4040XP-REG/PA-AL Surface Closer<br>320N NGP Door Bottom<br>5040B NGP Seal |